



AQSA ELEVATOR



AQSA ELEVATORS CO.

ISO 9001:2015 Certified Company

ELEVATOR DIVISION

AUTHORISED GOVERNMENT LICENCE




MSME
MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम

Why

AQSA ELEVATORS CO :

Our Products Are User Friendly,
We Offer 1 Year Free Service,
We Offer Customized Products,
Our Products Are Made by
Following Proper Safety Guideline,
we have Strong After Sales
Service, We Have Wide Range
Of Products To Match Your
Budget.



- ▶ NEW INSTALLATION
- ▶ MODERNIZATION
- ▶ REPAIRING

- ▶ PAINTING
- ▶ HOUSE KEEPING
- ▶ MAINTENANCE OF LIFT



Machine Room Less (MRL)

This is new generation technology to install low space consuming Lift. No Machine Room is required, can be installed in Shallow PIT and also can be installed inside external MS structure also.

Hospital Lift / Stretcher Lift

We are offering highly dedicated Stretcher Lift to carry Patients along with Stretcher in Hospitals & Nursing Homes. Wide range of carrying capacity from 10 persons to 26 persons can cater every need of Hospitals.

Goods Lift

We are offering wide range of Goods Lift with Traction & Hydraulic Concept. Load capacity can vary from 500 kgs to 5000 kgs. This goods lift are suitable for Commercial Projects, Wear House, Factory & Big Plants etc.

Home Lift / Villa Lift (Customized)

We are offering best quality Home Lift / Vila Lift completely suitable with today's High-End Buyers Need, with a carrying capacity from 1 person to 4 persons. Home Lift can be decorated matching with client test along with Automatic or Manual Door.

Hydraulic Lift

Apart from Traction Lift we are also offering different types of Hydraulic Lift solution for both Passenger Lift and Goods Lift with 100 kgs to 5000 kgs load capacity.

Salient Features

- Customisation as per client choice & taste.
- Fast & Hassle Free Job Execution.
- Just in Time After Sales Service
- Budget friendly reasonable package.
- Ability to execute project on turn key basis.
- Following Indian Standard of safety & Quality.

Sleek, Dynamic Ambience

This is what you get when you step into the elevators. Exclusive materials, Modular Construction allowing a wide choice in colours and design, and many optional features. Step into a world of your own.



MANUAL DOORS




Imported M.S. Swing Door



IFD Door



Collapsible Door



M S Telescopic Door-Elevators

ELEVATOR DRIVE MACHINE

The traction type machine include AC motor, electro mechanical brake, heat treated alloy steel worm shaft, centrifugally cast bronze worm gear wheel and high grade cast iron drive sheave.



AUTO DOORS



SS Auto Telescopic Door



MS Auto Telescopic Door



Golden Auto Center Opening Glass Door



S.S. Center Opening Glass Doors



SS Hair Line Finish Auto Door



MS Center Opening Auto Door



MS Powder Coated Center Opening Auto Door



Auto Door Lift

CAR OPERATION PANEL

Face Plate :

Mirror finished stainless steel / Titanium finished stainless steel / Hairline finished stainless steel various push buttons / braille push button to select from

Signal input mode:

7 segments and arrows,
Scrolling Dot Matrix display LCD display
"Overload" and "Emergency" displayed




AQSA ELEVATOR



ELEVATOR CABIN



CAPSULE ELEVATOR



Traction Auto Door Panel



Traction ARD



V3F



TENSION TYPE SENSING



LIMIT SWITCH



GATE LOCK



GUIDE SHOE HOLDER



SAFETY TOP & BOTTOM CHANNEL



BUFFER SPRING



INSPECTION BOX



POWER PACK



TRACTION ROPE



BLOWER



THIMBLE



AQSA ELEVATOR



TECHNICAL SPECIFICATION

NO.	MACHINE	GEAR				SHEAVE				MOTOR				
		LOAD In Kg.	TRAVELING IN METER	SPEED In. M/sec.	RATIO	SHEAVE DIA	NO. ROPE	ROPE DIA	ROPING	Kw	Hp	RPM	POLE	CONTROLLER
1	CONCARD-544	544	30	0.65 m / sec.	42:1	530	3 & 4	10, 13,	1:1	4:1	6	920	6 POLE	VVVF DRIVE
2	"	544	40	1.00 m / sec.	42:1	530	3 & 4	10, 13,	1:1	5:1	7.5	1440	6 POLE	"
3	"	650	40	0.65 m / sec.	42:1	560	3 & 4	10, 13,	1:1	6	8	920	6 POLE	"
4	"	650	40	1.00 m / sec.	42:1	560	3 & 4	10, 13,	1:1	6	8	1440	6 POLE	"
5	"	1000	40	1.00 m / sec.	42:1	560	4	4	1:1	7.5	10	960	6 POLE	"
6	"	1100	40	0.33 m / sec.	42:1	560	3 & 4	10, 13,	2:1	7.5	7.5	920	6 POLE	"
7	"	1100	40	0.50 m / sec.	42:1	560	3 & 4	10, 13,	2:1	8	5.5	1440	6 POLE	"
8	"	1300	40	0.33 m / sec.	42:1	560	3 & 4	10, 13,	2:1	8	6	960	6 POLE	"
9	"	1300	40	0.50 m / sec.	42:1	560	3 & 4	10, 13,	2:1	8	6	1440	6 POLE	"
10	"	1500	40	0.65 m / sec.	42:1	560	4	4	2:1	9	9	690	6 POLE	"



**BENGAL
SHRISTI**



AQSA ELEVATOR



Reg. Office :

Sandhanpur, Dhaniakhali, Hooghly, 712405



Branch Office :

Fram Side Road ,1st Lane, Bidyabhabon Polly,
Chuchura, Hooghly,712102



F. ABDULLAH +91 7477540196 / 6296436730
(proprietor)



aqsaelevatorsco@gmail.com